


GCU 3.0

Gehring Control Unit 3.0
The upgrade for your production



Excellence in motion.
Future in mind.

Upgrade from GHC 2.x to GHC 3.0



Welcome to the update and optimization of the previous Gehring Honing Control 2.x to 3.0

With a proven „look and feel“ in operation and a smooth transition, we offer a seamless upgrade. Benefit from faster processing speeds, improved functional stability, enhanced programming options, and remote maintenance capability.

Increase your production capacity and extend the life of your machines. Welcome to the future of Gehring control technology!



Gehring GCU 3.0

FROM TO GHC 3.0



Highlights

1. Proven „look and feel“ in operation

- Familiar user interface for smooth transition
- No additional training required for your staff

2. Quick start-up after conversion without start-up problems or operator training requirements

- Ready to use immediately after rebuild
- Minimal production downtime

3. Higher processing speeds and significantly increased processing power

- Eightfold increase in processing speeds
- Improved machine efficiency and productivity

4. NEW - GCU 3.0 with advanced technology and better functional stability thanks to EtherCat

- Seamless integration and communication with other systems
- Improved functional stability thanks to powerful EtherCat protocol

5. Enhanced programming capabilities and direct upgrade from GHC 2.x to 3.0

- Customizable solutions and optimized control
- Easy migration process and time saving

6. Remote maintenance via hotline and thus an increase in product capacity

- Fast problem analysis and resolution without on-site technicians
- Increase overall productivity and efficiency

7. Extension of machine lifetime by using robust and resistant components



www.gehring-group.com



Gehring Technologies GmbH + Co. KG
Gehringstraße 28 | D-73760 Ostfildern
T +49 711/3405-0 | E info.eu@gehring-group.com